



copy

Docket: A-1514div

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: /  
Miller et al. /  
Patent Number: 6,994,980 / U.S. Serial No: 10/805,838  
Issued: 2-7-06 / Filed: 3-22-04  
For: CHEMILUMINESCENT COMPOUNDS /  
AND USE THEREOF /

<b>CERTIFICATE OF MAILING</b>	
I hereby certify that this correspondence is being deposited with the U.S. postal Service as first-class mail in an envelope addressed to:	
Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	
Name:	<u>Jim Sonnenburg</u>
Date:	<u>7/05/2006</u>

**Certificate**  
**JUL 12 2006**  
**of Correction**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION UNDER RULE 322**

(Office Mistake)

Dear Sir:


Please correct the above-identified patent as shown on the accompanying Certificate of Correction form PTO-1050.

This change is requested to correct mistakes made by the Patent and Trademark Office in printing the patent and the location of each of the changes has been noted.

JUL 12 2006

1. Column 6, as requested by the examiner's amendment attached to the notice of allowance, replace lines 22-24 of claim 1 with "contacting a compound with an analyte-antibody complex, wherein the antibody is coupled to an enzyme; and detecting the presence of the compound as a measure of the presence and/or amount of analyte in the sample--,"
2. Column 6, line 62, change "chemilunminescent" to "chemiluminescent."

Respectfully submitted,



Donald E. Stout  
Attorney for Applicant; Reg. No. 34,493  
4 Venture, Suite 300  
Irvine, CA 92618

*Telephone (949) 450-1750*  
*Facsimile (949) 450-1764*

JUL 12 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,994,980

DATED : 2/07/2006

INVENTOR(S) : Phillip P. Miller and Martha Garrity

It is certified that error appears in the above-identified patent and that said Letters Patent  
is hereby corrected as shown below:

- 1) Column 6, replace lines 22-24 of claim 1 with "--contacting a compound with an analyte-antibody complex, wherein the antibody is coupled to an enzyme; and detecting the presence of the compound as a measure of the presence and/or amount of analyte in the sample--,"
- 2) Column 6, line 62, change "-- chemilunminescent --" to "-- chemiluminescent --"

**MAILING ADDRESS OF SENDER:**

Donald E. Stout  
STOUT, UXA, BUYAN & MULLINS, LLP  
4 Venture, Suite 300  
Irvine, CA 92618

PATENT NO. 6,994,980

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS.  
**SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*

111-22 2006